

## ENOLUX Wine cellars



- **ENOLUX WINE CELLARS** 76-81
- **Island Wine Cellars**
  - Island Wine Cellars 1 or 2 doors 80
- **Wall Wine Cellars**
  - Wall Wine Cellars 1 or 2 doors 81



# WINE DISPLAY

## CUTTING-EDGE DESIGN TO TASTE WITH YOUR EYES.

Wine has become an essential ingredient of restaurant meals all over the world, a mainstream trend that cannot be overlooked by foodservice operators. Wine flavors, textures and varieties have seduced dinner guests in such a way that chefs and entrepreneurs cannot even consider designing a food menu without its corresponding matching wine list.

Patron curiosity to discover new wines, beyond the limitations set by traditional wine lists, has created the need to display wine in innovative ways. In this regard, the sensory examination of wine may well start before the tasting by examining the shape of a bottle, its elaborated label design or lavish wine color.


To meet these needs, Edesa presents ENOLUX; a new concept in wine exhibition. With its sleek showcase design, ENOLUX displays are designed to be the focal point in the dining area, drawing customers' attention in all kinds of gastronomic environments.

ENOLUX exceeds wine storage and display traditional features. Due to its modern, elegant design and high-end constructive elements, ENOLUX displays could also become decorative objects that add value to each one of the bottles stored; they could even function as a hall or ambience separation elements that recreated a refined and suggestive atmosphere around them.

### 360° DISPLAY

360° Display is an open design concept with full length glasses in all sides, a unique feature of ENOLUX wine cellars.

All four glass walls enhance product visibility from any angle. Walls are made of a double-layered glass with an intermediate air chamber that avoids condensation even when door is opened very frequently.





# ENOLUX WINE CELLARS



## ENOLUX FEATURES

### MODULAR DESIGN


ENOLUX has been conceived with a flexible design that allows to combine multiple units since their side walls fit together perfectly when joined one against the other. This feature enables to create separating walls in large dining halls with a stylish, attractive aesthetics that ensures the visual continuity of the room.

### ISOLATION & ENERGY EFFICIENCY

ENOLUX wine cellars provides the maximum exposure with its side and back glass made with special low emission glass of double-layer with air chamber in the middle. Glass isolation is very efficient and recovering the temperature in the inside very quickly avoiding condensations although the door is opened continuously. Due to its body and glass insulation features, ENOLUX wine displays provide excellent thermal efficiency and reduce energy consumption.

### DUAL TEMP SYTEM

Two-body models have two different ambience zones, completely isolated, and regulated by separate digital thermostats. ENOLUX Dual Temp system enables to control the temperature, ranging from 5°C to 18°C, independently for storing and serving white and red wines at the perfect temperature.



Wine cellar 2 bodies



## KEY FEATURES THAT MAKE THE DIFFERENCE



### FORCED -AIR SYSTEM

Advanced and efficient ventilated refrigeration system that maintains the correct temperature uniformly inside the cabinet.



### LED LIGHTING

fully lit wine library. This is one of the main principles of ENOLUX design. LED lighting in all perimeters recreates a warm, stylish setting and reduces energy consumption. Light intensity could be controlled by a remote control to adjust the wine cellar lighting to that of the ambient.



### ELEGANT DIGITAL THERMOSTAT ENOLUX

wine cellar thermostats have a modern and very elegant design. Their digital display panel is easy to read from a distance of several meters, featuring values in white color.



### MAXIMUM VISIBILITY


Full length glass walls, even on the sides, to improve product visibility. Its 360° display creates an outstanding effect for the displays of bottles.



# ENOLUX wine cellars


A modular system to embellish, display and store

## REMOTE UNIT



As an option, ENOLUX wine cellars could be delivered with remote condensing unit to avoid vibrations that could spoil wine. In these models, the height of the top is reduced to 300 mm.

## EASY DELIVERY AND SERVICE



ENOLUX wine cellars are shipped in two sections, body and removable top evaporator section, for easy delivery. During installation, it is enough to place the cold unit on top of the body to attain a hermetic block.



WI-2C-BLA-26




WI-2C-GRE-23



WI-1C-BLA-26

## ISLAND WINE CELLAR - WITH ONE OR TWO BODIES

- Glass backside provides a sleek finish, ideal to separate ambiances.
- 2 available heights:
- 2,600 mm: 77 bottles (1 door), 154 bottles (2 doors).
- 2,300 mm: 70 bottles (1 door), 140 bottles (2 doors).
- Standard colors available: Black and Grey. Other color options are available upon request.
- Double-layered full length glass with an intermediate air chamber.
- Handle made in stainless steel.
- Door lock with key.
- Two-body models have two different ambience zones, completely isolated, and regulated by separate digital thermostats.
- Digital controller for easy operation and reliable performance, featuring clear digital display.
- Automatic defrost. Defrost water is collected in a tray
- Powerful bright white LED lighting on each corner, with adjustable light intensity with remote control.
- Efficient ventilated refrigeration system to achieve a uniform temperature inside.
- Operating temperature ranges from 5°C to 18°C.
- Remote condensing unit is available as an option.



| Model        | Reference | Dimensions (mm)   | Finished | N° doors |
|--------------|-----------|-------------------|----------|----------|
| WI-1C-GRE-23 | 19030554  | 800 x 650 x 2300  | Grey     | 1        |
| WI-2C-GRE-23 | 19030555  | 1550 x 650 x 2300 | Grey     | 2        |
| WI-1C-BLA-23 | 19030556  | 800 x 650 x 2300  | Black    | 1        |
| WI-2C-BLA-23 | 19030557  | 1550 x 650 x 2300 | Black    | 2        |
| WI-1C-GRE-26 | 19030558  | 800 x 650 x 2600  | Grey     | 1        |
| WI-2C-GRE-26 | 19030559  | 1550 x 650 x 2600 | Grey     | 2        |
| WI-1C-BLA-26 | 19030560  | 800 x 650 x 2600  | Black    | 1        |
| WI-2C-BLA-26 | 19030561  | 1550 x 650 x 2600 | Black    | 2        |



WI-2W-GRE-26




WI-2W-BLA-23



WI-1W-GRE-23

**WALL WINE CELLAR - WITH ONE OR TWO BODIES**

- Stainless steel backside in wall-mounted versions.
- 2 available heights:
- 2,600 mm: 77 bottles (1 door), 154 bottles (2 doors).
- 2,300 mm: 70 bottles (1 door), 140 bottles (2 doors).
- Standard colors available: Black and Grey. Other color options are available upon request.
- Handle made in stainless steel.
- Double-layered full length glass with an intermediate air chamber.
- Door lock with key.
- Two-body models have two different ambience zones, completely isolated, and regulated by separate digital thermostats.
- Digital controller for easy operation and reliable performance, featuring clear digital display.
- Automatic defrost. Defrost water is collected in a tray
- Powerful bright white LED lighting on each corner, with adjustable light intensity with remote control.
- Efficient ventilated refrigeration system to achieve a uniform temperature inside.
- Operating temperature ranges from 5°C to 18°C.
- Remote condensing unit is available as an option.



| Model        | Reference | Dimensions (mm)   | Finished | N°doors |
|--------------|-----------|-------------------|----------|---------|
| WI-1W-GRE-23 | 19030562  | 800 x 650 x 2300  | Grey     | 1       |
| WI-2W-GRE-23 | 19030563  | 1550 x 650 x 2300 | Grey     | 2       |
| WI-1W-BLA-23 | 19030564  | 800 x 650 x 2300  | Black    | 1       |
| WI-2W-BLA-23 | 19030565  | 1550 x 650 x 2300 | Black    | 2       |
| WI-1W-GRE-26 | 19030566  | 800 x 650 x 2600  | Grey     | 1       |
| WI-2W-GRE-26 | 19030568  | 1550 x 650 x 2600 | Grey     | 2       |
| WI-1W-BLA-26 | 19030569  | 800 x 650 x 2600  | Black    | 1       |
| WI-2W-BLA-26 | 19030571  | 1550 x 650 x 2600 | Black    | 2       |