

**ASBER ECO COOK** series is a 700-mm depth European modular cooking range, built to meet the most demanding chef needs whilst reducing all non-value added elements.

The result is a cooking range with high-power, first-class burners and plates, entirely made of stainless steel, with a fully welded structure

to achieve a sturdily built, durable solution. A simple, robust and cost-effective answer for any cooking operations.

All appliances have also been designed with a recognizable aesthetics. To ensure maximum hygiene, worktop surfaces are smooth and removable. All models are in accordance with the international standards of safety and hygiene, bearing Certigaz and CE approval.

**GAS RANGES**



Heavy-duty reinforced control knobs on the front panel.



Smooth surface for easy cleaning. Grids made of enameled iron, heavy and stable for safe cooking.



Open burners with 1-crown burner of 4.5 kW or 2-crown burners of 8 kW with possible combinations depending of number of burners of each model. Robust crowns with high-efficiency burners and provided with a flame safety device. Pilot ignition covered to avoid the breakage.

A complete range of products including 2, 4 and 6 burners with and without legs.



**ELECTRIC RANGES**



Complete range of electric ranges with 400, 800 and 1200 mm width models with 2, 4 or 6 plates. Stainless steel construction, provided. High-efficiency electric plates made of cast iron with built-in shielded resistors and safety overheat protection. 2,6 kW of power for each plate. Smooth surface easy to clean.

Power controlled by 6-position switch. Light indicator shows when the plate is active.



**GAS STOVE**



High-efficiency 2-crown burner of 9 kW.

Made of stainless steel, sturdy and resistant to corrosion. Light and portable. Heavy-duty reinforced control knobs on the front panel.



**ELECTRIC TILTING BRATT PAN**



Made of stainless steel. Manual turnover of the pan.

Smooth temperature regulation between 50°C and 300°C, thermostat control for safety usage.



**GAS AND ELECTRIC FRY-TOP**



A complete range of gas or electric fry-tops, 400 and 800 mm wide.

Cooking surface designed to roast directly on the plate surface. The plate made of special steel with high heat transfer.

Removable steel pan for fat collection.





GRE-400-11T

 **GAS RANGES WITH 2 BURNERS**

- Made of stainless steel.
- High-power gas burners: 1-crown burner of 4,5 kW and/or 2-crown burner of 8 kw.
- Burners with flame safety device.
- Robust, enamelled grills, safety valves and thermocouple.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type	N° of burners 4,5 kW	N° of burners 8 kW
GRE-400-20T	<b>19023366</b>	400 x 700 x 310	9 (7,74)	LPG	2	-
GRE-400-20T NG	<b>19023367</b>	400 x 700 x 310	9 (7,74)	NG	2	-
GRE-400-11T	<b>19023362</b>	400 x 700 x 310	12,5 (10,75)	LPG	1	1
GRE-400-11T NG	<b>19023363</b>	400 x 700 x 310	12,5 (10,75)	NG	1	1
GRE-400-02T	<b>19023358</b>	400 x 700 x 310	16 (13,76)	LPG	-	2
GRE-400-02T NG	<b>19023359</b>	400 x 700 x 310	16 (13,76)	NG	-	2



GRE-800-22T

 **GAS RANGES WITH 4 BURNERS**

- Made of stainless steel.
- High-power gas burners: 1-crown burner of 4,5 kW and/or 2-crown burner of 8 kw.
- Burners with flame safety device.
- Robust, enamelled grills, safety valves and thermocouple.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type	N° of burners 4,5 kW	N° of burners 8 kW
GRE-800-31T	<b>19023378</b>	800 x 700 x 310	21,5 (18,49)	LPG	3	1
GRE-800-31T NG	<b>19023379</b>	800 x 700 x 310	21,5 (18,49)	NG	3	1
GRE-800-22T	<b>19023374</b>	800 x 700 x 310	25 (21,5)	LPG	2	2
GRE-800-22T NG	<b>19023375</b>	800 x 700 x 310	25 (21,5)	NG	2	2
GRE-800-13T	<b>19023370</b>	800 x 700 x 310	28,5 (24,51)	LPG	1	3
GRE-800-13T NG	<b>19022227</b>	800 x 700 x 310	28,5 (24,51)	NG	1	3



GRE-1200-33T

 **GAS RANGES WITH 6 BURNERS**

- Made of stainless steel.
- High-power gas burners: 1-crown burner of 4,5 kW and/or 2-crown burner of 8 kw.
- Burners with flame safety device.
- Robust, enamelled grills, safety valves and thermocouple.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type	N° of burners 4,5 kW	N° of burners 8 kW
GRE-1200-42T	<b>19023354</b>	1200 x 700 x 310	34 (29,24)	LPG	4	2
GRE-1200-42T NG	<b>19023355</b>	1200 x 700 x 310	34 (29,24)	NG	4	2
GRE-1200-33T	<b>19023350</b>	1200 x 700 x 310	37,5 (32,25)	LPG	3	3
GRE-1200-33T NG	<b>19023351</b>	1200 x 700 x 310	37,5 (32,25)	NG	3	3
GRE-1200-24T	<b>19023346</b>	1200 x 700 x 310	41 (35,26)	LPG	2	4
GRE-1200-24T NG	<b>19023347</b>	1200 x 700 x 310	41 (35,26)	NG	2	4



GRE-400-11

### GAS RANGES WITH 2 BURNERS

- Made of stainless steel.
- High-power gas burners: 1-crown burner of 4,5 kW and/or 2-crown burner of 8 kw.
- Burners with flame safety device.
- Robust, enamelled grills, safety valves and thermocouple.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type	N° of burners 4,5 kW	N° of burners 8 kW
GRE-400-20	19023364	400 x 700 x 850	9 (7,74)	LPG	2	-
GRE-400-20 NG	19023365	400 x 700 x 850	9 (7,74)	NG	2	-
GRE-400-11	19023360	400 x 700 x 850	12,5 (10,75)	LPG	1	1
GRE-400-11 NG	19023361	400 x 700 x 850	12,5 (10,75)	NG	1	1
GRE-400-02	19023356	400 x 700 x 850	16 (13,76)	LPG	-	2
GRE-400-02 NG	19023357	400 x 700 x 850	16 (13,76)	NG	-	2



GRE-800-22

### GAS RANGES WITH 4 BURNERS

- Made of stainless steel.
- High-power gas burners: 1-crown burner of 4,5 kW and/or 2-crown burner of 8 kw.
- Burners with flame safety device.
- Robust, enamelled grills, safety valves and thermocouple.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type	N° of burners 4,5 kW	N° of burners 8 kW
GRE-800-31	19023376	800 x 700 x 850	21,5 (18,49)	LPG	3	1
GRE-800-31 NG	19023377	800 x 700 x 850	21,5 (18,49)	NG	3	1
GRE-800-22	19023372	800 x 700 x 850	25 (21,5)	LPG	2	2
GRE-800-22 NG	19023373	800 x 700 x 850	25 (21,5)	NG	2	2
GRE-800-13	19023368	800 x 700 x 850	28,5 (24,51)	LPG	1	3
GRE-800-13 NG	19022228	800 x 700 x 850	28,5 (24,51)	NG	1	3



GRE-1200-33

### GAS RANGES WITH 6 BURNERS

- Made of stainless steel.
- High-power gas burners: 1-crown burner of 4,5 kW and/or 2-crown burner of 8 kw.
- Burners with flame safety device.
- Robust, enamelled grills, safety valves and thermocouple.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type	N° of burners 4,5 kW	N° of burners 8 kW
GRE-1200-42	19023352	1200 x 700 x 850	34 (29,24)	LPG	4	2
GRE-1200-42 NG	19023353	1200 x 700 x 850	34 (29,24)	NG	4	2
GRE-1200-33	19023348	1200 x 700 x 850	37,5 (32,25)	LPG	3	3
GRE-1200-33 NG	19023349	1200 x 700 x 850	37,5 (32,25)	NG	3	3
GRE-1200-24	19023344	1200 x 700 x 850	41 (35,26)	LPG	2	4
GRE-1200-24 NG	19023345	1200 x 700 x 850	41 (35,26)	NG	2	4



ERE-400T



ERE-800T

 **TABLE-TOP ELECTRIC RANGES**

- Models available in 3 different widths: 400, 800 and 1200 mm.
- Made of stainless steel.
- 223 mm diameter plates.
- Stamped stainless steel worktop to prevent liquid spillages.
- Temperature regulation by a 6-position switch with corresponding operating pilot. Safety overheat protection.
- 2,6 kW power in each plate.
- Height-adjustable legs.

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Voltage (V)	N° of burners 2,6 kW
ERE-400T	<b>19023332</b>	400 x 700 x 285	5,2 (4,472)	380-415/3N - 50/60 Hz	2
ERE-800T	<b>19023334</b>	800 x 700 x 285	10,4 (8,944)	380-415/3N - 50/60 Hz	4
ERE-1200T	<b>19023330</b>	1200 x 700 x 285	15,6 (13,416)	380-415/3N - 50/60 Hz	6



ERE-400



ERE-800

 **STANDING ELECTRIC RANGES**

- Models available in 3 different widths: 400, 800 and 1200 mm.
- Made of stainless steel.
- 223 mm diameter plates.
- Stamped stainless steel worktop to prevent liquid spillages.
- Temperature regulation by a 6-position switch with corresponding operating pilot. Safety overheat protection.
- 2,6 kW power in each plate.
- Height-adjustable legs.

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Voltage (V)	N° of burners 2,6 kW
ERE-400	<b>19023331</b>	400 x 700 x 850	5,2 (4,472)	380-415/3N - 50/60 Hz	2
ERE-800	<b>19023333</b>	800 x 700 x 850	10,4 (8,944)	380-415/3N - 50/60 Hz	4
ERE-1200	<b>19023329</b>	1200 x 700 x 850	15,6 (13,416)	380-415/3N - 50/60 Hz	6



GSPE-600

### GAS STOVE WITH 1 BURNER

- Made of stainless steel.
- 9 kW high-efficiency 2-crown burner.
- Pilot burner.
- Gas connection: ½".
- Available two different height.
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type
GSPE-600	19023382	580 x 580 x 440	9 (7,74)	LPG
GSPE-600 NG	19023383	580 x 580 x 440	9 (7,74)	NG
GSPE-600H	19023384	580 x 580 x 720	9 (7,74)	LPG
GSPE-600H NG	19023385	580 x 580 x 720	9 (7,74)	NG



GSPE-1200

### GAS STOVE WITH 2 BURNERS

- Made of stainless steel.
- 2 x 9 kW high-efficiency 2-crown burner.
- Pilot burner.
- Gas connection: ½".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Gas type
GSPE-1200	19023380	1160 x 580 x 440	2 x 9 (15,48)	LPG
GSPE-1200 NG	19023381	1160 x 580 x 440	2 x 9 (15,48)	NG



ETBPE-800

### ELECTRIC TILTING BRATT PAN

- Made of stainless steel.
- Smooth temperature regulation between 50°C and 300°C, thermostat control for safety usage.
- Manual turnover of the pan.
- Working capacity: 0,25 m<sup>2</sup> (30 liters).
- Tank depth: 120 mm.

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Voltage (V)
ETBPE-800	19023335	700 x 660 x 850	6 (5,16)	380-415/3N - 50/60 Hz



GFTE-400



GFTE-400T

### GAS FRY-TOP

- Standing and table-top models available in two different widths: 400 and 800 mm.
- Made of stainless steel.
- Cooking plate made of special steel with high heat transfer, designed to cook directly on its surface.
- Stainless steel burners with ignition pilot.
- Side and rear protection, avoiding spillages.
- Burner flame control using the valve of "maximum-minimum" type.
- 1 or 2 cooking surface depending on width of the model:
  - GFTE-400 (1 cooking surface).
  - GFTE-800 (2 cooking surface).
- Removable steel drip pan for fat collection.
- Gas connection: 1/2".
- Height-adjustable legs.
- Assembled with injectors for use with natural gas (NG) or (LPG).



Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Legs	Gas type
GFTE-400T	19023338	400 x 700 x 230	4,5 (3,87)	Not	LPG
GFTE-400T NG	19023339	400 x 700 x 230	4,5 (3,87)	Not	NG
GFTE-800T	19022222	800 x 700 x 230	9 (7,74)	Not	LPG
GFTE-800T NG	19023343	800 x 700 x 230	9 (7,74)	Not	NG
GFTE-400	19023336	400 x 700 x 850	4,5 (3,87)	Yes	LPG
GFTE-400 NG	19023337	400 x 700 x 850	4,5 (3,87)	Yes	NG
GFTE-800	19023340	800 x 700 x 850	9 (7,74)	Yes	LPG
GFTE-800 NG	19023341	800 x 700 x 850	9 (7,74)	Yes	NG



EFTE-800



EFTE-800T

### ELECTRIC FRY-TOP

- Standing and table-top models available in two different widths: 400 and 800 mm.
- Made of stainless steel.
- Cooking plate made of special steel with high heat transfer, designed to cook directly on its surface.
- Side and rear protection, avoiding spillages.
- 6-position switch, smooth temperature regulation between 50°C and 300°C, thermostat control and light indicator for safety usage.
- 1 or 2 cooking surface depending on width of the model:
  - EFTE-400 (1 cooking surface).
  - EFTE-800 (2 cooking surface).
- Removable steel drip pan for fat collection.
- Height-adjustable legs.

Model	Reference	Dimensions (mm)	Power kW (Kcal/h)	Legs	Voltage (V)
EFTE-400T	19023326	400 x 700 x 230	4,2 (3,61)	Not	380-415/3N - 50/60 Hz
EFTE-800T	19023328	800 x 700 x 230	8,4 (7,22)	Not	380-415/3N - 50/60 Hz
EFTE-400	19023325	400 x 700 x 850	4,2 (3,61)	Yes	380-415/3N - 50/60 Hz
EFTE-800	19023327	800 x 700 x 850	8,4 (7,22)	Yes	380-415/3N - 50/60 Hz



WTE-400



WTE-800

### NEUTRAL TABLES

- Made of stainless steel, designed for table-top models.
- Additional, completely flat and smooth, work surface.
- Table frame ensures excellent stability while working on it.
- Solid and sturdy structure.
- Height-adjustable legs.

Model	Reference	Dimensions
WTE-400	19023386	400 x 700 x 850
WTE-800	19023387	800 x 700 x 850