

# ALUMINUM AND POLYETHYLENE SHELVING

Shelving posts designed with an environmentally safe, longer-life anodized, 12 microns aluminum structure; shelf plates made of food-grade polyethylene.



## Aluminum and polyethylene shelving

- Shelving posts designed with an environmentally safe, longer-life anodized, 12 microns aluminum structure; shelf plates made of food-grade polyethylene.
- Ideal for cold rooms, guarantees a safe and hygienic operation under the most demanding storage conditions.
- Multiple combinations are possible, ensuring maximum flexibility and higher efficiency when organizing and storing items in any professional kitchens.



Maximum hygiene, simple to clean. Polyethylene shelf plates are easily removed and can be washed in a conventional dish washer.



Openings every 150 mm on shelving posts. Dimensions of standard models are easy to adjust, number of shelf plates can be increased simply by adding pins (4 by plate).



Easy and quick to assemble, no tools required.



L-shape shelving installation to maximize storage space use and save shelf plates.




125 mm diameter, polyamide corrosion-resistant casters. Casters allow shelving units to be moved easily for access to floors and walls.




Adjustable leveling foot plate that enable compensating for uneven floors.

### Edenox shelves are built to take heavy loads with a minimal bending


- One module shelf from 690 mm to 1090 mm could withstand a weight of 150 Kg to 180 Kg.
- One module shelf from 1190 mm to 1600 mm could withstand a weight of 100 Kg to 140 Kg.
- One complete standard module could withstand a weight of 380 Kg.
- Calculations performed under uniform and even load conditions.



- Polyethylene shelf plates lie on two edges of the aluminum post, which results in perfect installation and higher strength.
- Sturdy, rigid heavy duty shelving.
- Width options in shelf plates: 400 and 500 mm.
- Standard height of posts is 1.750 mm. 2.000 and 1.300 mm heights are also available for non-standard applications.



**Dimensions of different shelving units with posts at their corners.**



Maximum flexibility: 11 different length combinations that enable multiple arrangements by placing plate shelves at both sides of the posts.

**Shelf plates**



**Width 400 mm**

Model	Reference	External dimensions (mm)
S-64	<b>19004487</b>	600 x 400
S-74	<b>19004489</b>	700 x 400
S-84	<b>19004491</b>	800 x 400
S-94	<b>19004501</b>	900 x 400
S-104	<b>19004516</b>	1000 x 400
S-114	<b>19004519</b>	1100 x 400
S-124	<b>19004524</b>	1200 x 400
S-134	<b>19004530</b>	1300 x 400
S-144	<b>19004545</b>	1400 x 400
S-154	<b>19004549</b>	1500 x 400
S-164	<b>19004551</b>	1600 x 400

**Width 500 mm**

Model	Reference	External dimensions (mm)
S-65	<b>19004488</b>	600 x 500
S-75	<b>19004490</b>	700 x 500
S-85	<b>19004492</b>	800 x 500
S-95	<b>19004515</b>	900 x 500
S-105	<b>19004517</b>	1000 x 500
S-115	<b>19004525</b>	1100 x 500
S-125	<b>19004531</b>	1200 x 500
S-135	<b>19004547</b>	1300 x 500
S-145	<b>19004550</b>	1400 x 500
S-155	<b>19004552</b>	1500 x 500
S-165	<b>19004553</b>	1600 x 500



**Shelving posts (width 400 mm)**

Model	Reference	External dimensions (mm)	Levels
P-43	<b>19004518</b>	1750 x 400	3
P-44	<b>19004520</b>	1750 x 400	4
P-45	<b>19004361</b>	1750 x 400	5
PB-43	<b>19004493</b>	1300 x 400*	3
PA-45	<b>19004528</b>	2000 x 400*	5
PA-46	<b>19004529</b>	2000 x 400*	6

\*Shelving posts with non-standard height.

**Shelving posts (width 500 mm)**

Model	Reference	External dimensions (mm)	Levels
P-53	<b>19004521</b>	1750 x 500	3
P-54	<b>19004522</b>	1750 x 500	4
P-55	<b>19004523</b>	1750 x 500	5
PB-53	<b>19004500</b>	1300 x 500*	3
PA-55	<b>19004534</b>	2000 x 500*	5
PA-56	<b>19004535</b>	2000 x 500*	6

\*Shelving posts with non-standard height.



**Mobile shelving posts**

- All mobile shelving posts include 2 stainless polyamide rotating casters with a diameter of 125 mm, one of them with brake. To build a mobile shelf, besides the required shelf plates, 2 special mobile shelving posts are required.
- Table below only include the shelving posts. Shelf plates must be ordered separately.

Model	Reference	External dimensions (mm)	Levels
SM-44	<b>19004526</b>	1750 x 400	4
SM-45	<b>19004527</b>	1750 x 400	5
SM-54	<b>19004532</b>	1750 x 500	4
SM-55	<b>19004533</b>	1750 x 500	5





### Open grid mats

- Food-grade polyethylene grid mats for shelf plates.
- Supplied as standard options in full shelving configurations.
- To be used in 400 and 500 mm width shelving units.
- Easy to install. Easy to clean, ensures maximum hygiene since they can be washed in a conventional dish washer.

Model	Reference	External dimensions (mm)
PAR-43	<b>19004453</b>	400 x 300
PAR-44	<b>19004457</b>	400 x 400
PAR-53	<b>19004454</b>	500 x 300
PAR-54	<b>19004458</b>	500 x 400



### Hooks for I-shape shelving

- Designed to make easier the assembly of I-shape shelving units. They also save shelving posts and optimize the available space.
- Price per unit.

Model	Reference	External dimensions (mm)
GA	<b>19003353</b>	2 hooks per shelf



### Pins

- Pins designed to add up more shelf plates.
- Price per unit.

Model	Reference	External dimensions (mm)
PE	<b>19004449</b>	4 pins per shelf



### Benches

- Designed specifically to store boxes in cold rooms or other public health/safety sensitive locations.
- Robust stainless steel structure.

Model	Reference	External dimensions (mm)
BA-1050	<b>19003410</b>	1085 x 500 x 250
BA-1250	<b>19004639</b>	1285 x 500 x 250
BA-1650	<b>19004740</b>	1685 x 500 x 250



### Multi-purpose trolley (kit)

- Multi-purpose trolley: dishware storage, handling and pickup, transport and storage of kitchenware, cleaning tables at dining rooms, storage of glassware, crockery, etc.
- Maximum hygiene and easy to clean. Polyethylene grid mats are easily removed and can be washed in a conventional dishwasher.
- Made up of five 1200 x 500 mm shelf plates.
- Shelf plates can be installed at the required height (every 150 mm) according to the specific use.
- The sides and the rear of the trolley include cross-section ledges to prevent items from protruding or falling down.
- Easy to install, no need for complex tools.
- Equipped with four (4) stainless polyamide rotating casters with 125 mm diameter, two (2) of them with brakes.
- Shelving posts designed with an environmentally safe, longer-life anodized aluminum structure; shelf plates made of food-grade polyethylene.
- Corrosion-resistant stainless trolley.



Model	Reference	External dimensions (mm)	N° Shelves
KCM-55	<b>19004885</b>	1285 x 500 x 1750	5



### Bars to hang items

- Bars to hang dry food, cold meat and similar products.
- Made of stainless steel.

Model	Reference	Length (mm)
BCOL-8	<b>19003226</b>	800
BCOL-9	<b>19003227</b>	900
BCOL-10	<b>19003229</b>	1000
BCOL-11	<b>19003361</b>	1100
BCOL-12	<b>19003363</b>	1200
BCOL-13	<b>19003366</b>	1300
BCOL-14	<b>19003367</b>	1400
BCOL-15	<b>19003368</b>	1500
BCOL-16	<b>19003371</b>	1600

### How to order shelving sets

For your convenience, aluminum and polyethylene shelving can be ordered in sets.

Below is an indication on how to calculate the required shelving set:

1. Is it a linear or I-shape shelving unit?

Linear shelving units have posts on each end. L-shape shelving units have a post on each of the ends and a couple of hooks on the other end, to lean on the beams of the other shelving unit.

2. What is the width of the shelving unit? There are two width options: 400 or 500 mm.

3. How many levels are required? There are standard sets with 3, 4 or 5 levels. (Additional levels can be ordered, see below).



4. What will be the length of the shelf?

You have to look up the reference table on the next pages and search for the set that corresponds to the dimensions of the space where the shelf will be installed.

When you calculate the length of the I-shape shelving units, you should remember to subtract the shelving width from the total length of the shelving unit where it will be leaned.

In the examples to the right, the following shelving sets are supposed to be ordered:

- Set number 99 (linear, 400 mm width, 4 levels, 1690 mm long).
- Set number 582 (I-shape, 400 mm width, 4 levels, 952 mm long).



### 400 mm linear shelving

Total length of shelf (mm)	3 Levels	4 Levels	5 Levels
	Set	Set	Set
1390	17	96	175
1490	18	97	176
1590	19	98	177
1690	20	99	178
1726	21	100	179
1826	22	101	180
1926	23	102	181



### 400 mm L-shape shelving

Total length of shelf (mm)	3 Levels	4 Levels	5 Levels
	Set	Set	Set
652	500	579	658
752	501	580	659
852	502	581	660
952	503	582	661
1052	504	583	662
1152	505	584	663
1252	506	585	664

- The standard height of the posts is 1750 mm. To order different heights, see the breakdown of shelving sets and replace the standard "P" posts with the high "PA" posts or with the short "PB" posts, adjusting the price of the set according to the chosen option.
- Additional levels can be added up to the shelving units, up to a maximum of eleven (11) levels in the standard-height post. It is required to order separately the desired shelf plates, pins and hooks for I-shaped shelvings.
- Standard-height "P" posts can also be replaced by mobile "SM" posts.

**Reference table for linear shelving**

Table to be used to find set number and price of linear shelving units with a posts' height of 1750 mm.


**400 mm width linear shelving**

Total length of shelves (mm)	3 Levels	4 Levels	5 Levels
	Set N°	Set N°	Set N°
<b>690</b>	10	89	168
<b>790</b>	11	90	169
<b>890</b>	12	91	170
<b>990</b>	13	92	171
<b>1090</b>	14	93	172
<b>1190</b>	15	94	173
<b>1290</b>	16	95	174
<b>1390</b>	17	96	175
<b>1490</b>	18	97	176
<b>1590</b>	19	98	177
<b>1690</b>	20	99	178
<b>1726</b>	21	100	179
<b>1826</b>	22	101	180
<b>1926</b>	23	102	181
<b>2026</b>	24	103	182
<b>2126</b>	25	104	183
<b>2226</b>	26	105	184
<b>2326</b>	27	106	185
<b>2426</b>	28	107	186
<b>2526</b>	29	108	187
<b>2626</b>	30	109	188
<b>2726</b>	31	110	189
<b>2826</b>	32	111	190
<b>2926</b>	33	112	191
<b>3026</b>	34	113	192
<b>3126</b>	35	114	193
<b>3226</b>	36	115	194
<b>3326</b>	37	116	195
<b>3362</b>	38	117	196
<b>3462</b>	39	118	197
<b>3562</b>	40	119	198
<b>3662</b>	41	120	199
<b>3762</b>	42	121	200
<b>3862</b>	43	122	201
<b>3962</b>	44	123	202
<b>4062</b>	45	124	203
<b>4162</b>	46	125	204
<b>4262</b>	47	126	205
<b>4362</b>	48	127	206
<b>4462</b>	49	128	207
<b>4562</b>	50	129	208
<b>4662</b>	51	130	209
<b>4762</b>	52	131	210
<b>4862</b>	53	132	211
<b>4962</b>	54	133	212
<b>4998</b>	55	134	213
<b>5098</b>	56	135	214
<b>5198</b>	57	136	215
<b>5298</b>	58	137	216
<b>5398</b>	59	138	217
<b>5498</b>	60	139	218
<b>5598</b>	61	140	219
<b>5698</b>	62	141	220
<b>5798</b>	63	142	221

**500 mm width linear shelving**

Total length of shelves (mm)	3 Levels	4 Levels	5 Levels
	Set N°	Set N°	Set N°
<b>690</b>	247	326	405
<b>790</b>	248	327	406
<b>890</b>	249	328	407
<b>990</b>	250	329	408
<b>1090</b>	251	330	409
<b>1190</b>	252	331	410
<b>1290</b>	253	332	411
<b>1390</b>	254	333	412
<b>1490</b>	255	334	413
<b>1590</b>	256	335	414
<b>1690</b>	257	336	415
<b>1726</b>	258	337	416
<b>1826</b>	259	338	417
<b>1926</b>	260	339	418
<b>2026</b>	261	340	419
<b>2126</b>	262	341	420
<b>2226</b>	263	342	421
<b>2326</b>	264	343	422
<b>2426</b>	265	344	423
<b>2526</b>	266	345	424
<b>2626</b>	267	346	425
<b>2726</b>	268	347	426
<b>2826</b>	269	348	427
<b>2926</b>	270	349	428
<b>3026</b>	271	350	429
<b>3126</b>	272	351	430
<b>3226</b>	273	352	431
<b>3326</b>	274	353	432
<b>3362</b>	275	354	433
<b>3462</b>	276	355	434
<b>3562</b>	277	356	435
<b>3662</b>	278	357	436
<b>3762</b>	279	358	437
<b>3862</b>	280	359	438
<b>3962</b>	281	360	439
<b>4062</b>	282	361	440
<b>4162</b>	283	362	441
<b>4262</b>	284	363	442
<b>4362</b>	285	364	443
<b>4462</b>	286	365	444
<b>4562</b>	287	366	445
<b>4662</b>	288	367	446
<b>4762</b>	289	368	447
<b>4862</b>	290	369	448
<b>4962</b>	291	370	449
<b>4998</b>	292	371	450
<b>5098</b>	293	372	451
<b>5198</b>	294	373	452
<b>5298</b>	295	374	453
<b>5398</b>	296	375	454
<b>5498</b>	297	376	455
<b>5598</b>	298	377	456
<b>5698</b>	299	378	457
<b>5798</b>	300	379	458



**Reference table for I-shape shelving**

Table to be used to find set number and price of I-shapes shelving units with a posts' height of 1750mm, in one side, and two (2) hooks per level in the other side.



**400 mm width L-shape shelving**

Total length of shelves (mm)	3 Levels	4 Levels	5 Levels
	Set N°	Set N°	Set N°
<b>652</b>	500	579	658
<b>752</b>	501	580	659
<b>852</b>	502	581	660
<b>952</b>	503	582	661
<b>1052</b>	504	583	662
<b>1152</b>	505	584	663
<b>1252</b>	506	585	664
<b>1352</b>	507	586	665
<b>1452</b>	508	587	666
<b>1552</b>	509	588	667
<b>1652</b>	510	589	668
<b>1688</b>	511	590	669
<b>1788</b>	512	591	670
<b>1888</b>	513	592	671
<b>1988</b>	514	593	672
<b>2088</b>	515	594	673
<b>2188</b>	516	595	674
<b>2288</b>	517	596	675
<b>2388</b>	518	597	676
<b>2488</b>	519	598	677
<b>2588</b>	520	599	678
<b>2688</b>	521	600	679
<b>2788</b>	522	601	680
<b>2888</b>	523	602	681
<b>2988</b>	524	603	682
<b>3088</b>	525	604	683
<b>3188</b>	526	605	684
<b>3288</b>	527	606	685
<b>3324</b>	528	607	686
<b>3424</b>	529	608	687
<b>3524</b>	530	609	688
<b>3624</b>	531	610	689
<b>3724</b>	532	611	690
<b>3824</b>	533	612	691
<b>3924</b>	534	613	692
<b>4024</b>	535	614	693
<b>4124</b>	536	615	694
<b>4224</b>	537	616	695
<b>4324</b>	538	617	696
<b>4424</b>	539	618	697
<b>4524</b>	540	619	698
<b>4624</b>	541	620	699
<b>4724</b>	542	621	700
<b>4824</b>	543	622	701
<b>4924</b>	544	623	702
<b>4960</b>	545	624	703
<b>5060</b>	546	625	704
<b>5160</b>	547	626	705
<b>5260</b>	548	627	706
<b>5360</b>	549	628	707
<b>5460</b>	550	629	708
<b>5560</b>	551	630	709
<b>5660</b>	552	631	710
<b>5760</b>	553	632	711

**500 mm width L-shape shelving**

Total length of shelves (mm)	3 Levels	4 Levels	5 Levels
	Set N°	Set N°	Set N°
<b>652</b>	737	816	895
<b>752</b>	738	817	896
<b>852</b>	739	818	897
<b>952</b>	740	819	898
<b>1052</b>	741	820	899
<b>1152</b>	742	821	900
<b>1252</b>	743	822	901
<b>1352</b>	744	823	902
<b>1452</b>	745	824	903
<b>1552</b>	746	825	904
<b>1652</b>	747	826	905
<b>1688</b>	748	827	906
<b>1788</b>	749	828	907
<b>1888</b>	750	829	908
<b>1988</b>	751	830	909
<b>2088</b>	752	831	910
<b>2188</b>	753	832	911
<b>2288</b>	754	833	912
<b>2388</b>	755	834	913
<b>2488</b>	756	835	914
<b>2588</b>	757	836	915
<b>2688</b>	758	837	916
<b>2788</b>	759	838	917
<b>2888</b>	760	839	918
<b>2988</b>	761	840	919
<b>3088</b>	762	841	920
<b>3188</b>	763	842	921
<b>3288</b>	764	843	922
<b>3324</b>	765	844	923
<b>3424</b>	766	845	924
<b>3524</b>	767	846	925
<b>3624</b>	768	847	926
<b>3724</b>	769	848	927
<b>3824</b>	770	849	928
<b>3924</b>	771	850	929
<b>4024</b>	772	851	930
<b>4124</b>	773	852	931
<b>4224</b>	774	853	932
<b>4324</b>	775	854	933
<b>4424</b>	776	855	934
<b>4524</b>	777	856	935
<b>4624</b>	778	857	936
<b>4724</b>	779	858	937
<b>4824</b>	780	859	938
<b>4924</b>	781	860	939
<b>4960</b>	782	861	940
<b>5060</b>	783	862	941
<b>5160</b>	784	863	942
<b>5260</b>	785	864	943
<b>5360</b>	786	865	944
<b>5460</b>	787	866	945
<b>5560</b>	788	867	946
<b>5660</b>	789	868	947
<b>5760</b>	790	869	948

**Breakdown table of shelving sets: 400 mm linear shelving.**

For your convenience, below is provided a breakdown of shelving sets in components.


**400 mm width linear shelving**

3 Levels		4 Levels		5 Levels	
Set N°	Shelf elements	Set N°	Shelf elements	Set N°	Shelf Elements
10	2 P-43 + 3 S-64	89	2 P-44 + 4 S-64	168	2 P-45 + 5 S-64
11	2 P-43 + 3 S-74	90	2 P-44 + 4 S-74	169	2 P-45 + 5 S-74
12	2 P-43 + 3 S-84	91	2 P-44 + 4 S-84	170	2 P-45 + 5 S-84
13	2 P-43 + 3 S-94	92	2 P-44 + 4 S-94	171	2 P-45 + 5 S-94
14	2 P-43 + 3 S-104	93	2 P-44 + 4 S-104	172	2 P-45 + 5 S-104
15	2 P-43 + 3 S-114	94	2 P-44 + 4 S-114	173	2 P-45 + 5 S-114
16	2 P-43 + 3 S-124	95	2 P-44 + 4 S-124	174	2 P-45 + 5 S-124
17	2 P-43 + 3 S-134	96	2 P-44 + 4 S-134	175	2 P-45 + 5 S-134
18	2 P-43 + 3 S-144	97	2 P-44 + 4 S-144	176	2 P-45 + 5 S-144
19	2 P-43 + 3 S-154	98	2 P-44 + 4 S-154	177	2 P-45 + 5 S-154
20	2 P-43 + 3 S-164	99	2 P-44 + 4 S-164	178	2 P-45 + 5 S-164
21	3 P-43 + 6 S-84	100	3 P-44 + 8 S-84	179	3 P-45 + 10 S-84
22	3 P-43 + 3 S-94 + 3 S-84	101	3 P-44 + 4 S-94 + 4 S-84	180	3 P-45 + 5 S-94 + 5 S-84
23	3 P-43 + 6 S-94	102	3 P-44 + 8 S-94	181	3 P-45 + 10 S-94
24	3 P-43 + 3 S-94 + 3 S-104	103	3 P-44 + 4 S-94 + 4 S-104	182	3 P-45 + 5 S-94 + 5 S-104
25	3 P-43 + 6 S-104	104	3 P-44 + 8 S-104	183	3 P-45 + 10 S-104
26	3 P-43 + 3 S-104 + 3 S-114	105	3 P-44 + 4 S-104 + 4 S-114	184	3 P-45 + 5 S-104 + 5 S-114
27	3 P-43 + 6 S-114	106	3 P-44 + 8 S-114	185	3 P-45 + 10 S-114
28	3 P-43 + 3 S-114 + 3 S-124	107	3 P-44 + 4 S-114 + 4 S-124	186	3 P-45 + 5 S-114 + 5 S-124
29	3 P-43 + 6 S-124	108	3 P-44 + 8 S-124	187	3 P-45 + 10 S-124
30	3 P-43 + 3 S-124 + 3 S-134	109	3 P-44 + 4 S-124 + 4 S-134	188	3 P-45 + 5 S-124 + 5 S-134
31	3 P-43 + 6 S-134	110	3 P-44 + 8 S-134	189	3 P-45 + 10 S-134
32	3 P-43 + 3 S-134 + 3 S-144	111	3 P-44 + 4 S-134 + 4 S-144	190	3 P-45 + 5 S-134 + 5 S-144
33	3 P-43 + 6 S-144	112	3 P-44 + 8 S-144	191	3 P-45 + 10 S-144
34	3 P-43 + 3 S-144 + 3 S-154	113	3 P-44 + 4 S-144 + 4 S-154	192	3 P-45 + 5 S-144 + 5 S-154
35	3 P-43 + 6 S-154	114	3 P-44 + 8 S-154	193	3 P-45 + 10 S-154
36	3 P-43 + 3 S-154 + 3 S-164	115	3 P-44 + 4 S-154 + 4 S-164	194	3 P-45 + 5 S-154 + 5 S-164
37	3 P-43 + 6 S-164	116	3 P-44 + 8 S-164	195	3 P-45 + 10 S-164
38	4 P-43 + 3 S-104 + 6 S-114	117	4 P-44 + 4 S-104 + 8 S-114	196	4 P-45 + 5 S-104 + 10 S-114
39	4 P-43 + 9 S-114	118	4 P-44 + 12 S-114	197	4 P-45 + 15 S-114
40	4 P-43 + 6 S-114 + 3 S-124	119	4 P-44 + 8 S-114 + 4 S-124	198	4 P-45 + 10 S-114 + 5 S-124
41	4 P-43 + 3 S-114 + 6 S-124	120	4 P-44 + 4 S-114 + 8 S-124	199	4 P-45 + 5 S-114 + 10 S-124
42	4 P-43 + 9 S-124	121	4 P-44 + 12 S-124	200	4 P-45 + 15 S-124
43	4 P-43 + 6 S-124 + 3 S-134	122	4 P-44 + 8 S-124 + 4 S-134	201	4 P-45 + 10 S-124 + 5 S-134
44	4 P-43 + 3 S-124 + 6 S-134	123	4 P-44 + 4 S-124 + 8 S-134	202	4 P-45 + 5 S-124 + 10 S-134
45	4 P-43 + 9 S-134	124	4 P-44 + 12 S-134	203	4 P-45 + 15 S-134
46	4 P-43 + 6 S-134 + 3 S-144	125	4 P-44 + 8 S-134 + 4 S-144	204	4 P-45 + 10 S-134 + 5 S-144
47	4 P-43 + 3 S-134 + 6 S-144	126	4 P-44 + 4 S-134 + 8 S-144	205	4 P-45 + 5 S-134 + 10 S-144
48	4 P-43 + 9 S-144	127	4 P-44 + 12 S-144	206	4 P-45 + 15 S-144
49	4 P-43 + 6 S-144 + 3 S-154	128	4 P-44 + 8 S-144 + 4 S-154	207	4 P-45 + 10 S-144 + 5 S-154
50	4 P-43 + 3 S-144 + 6 S-154	129	4 P-44 + 4 S-144 + 8 S-154	208	4 P-45 + 5 S-144 + 10 S-154
51	4 P-43 + 9 S-154	130	4 P-44 + 12 S-154	209	4 P-45 + 15 S-154
52	4 P-43 + 6 S-154 + 3 S-164	131	4 P-44 + 8 S-154 + 4 S-164	210	4 P-45 + 10 S-154 + 5 S-164
53	4 P-43 + 3 S-154 + 6 S-164	132	4 P-44 + 4 S-154 + 8 S-164	211	4 P-45 + 5 S-154 + 10 S-164
54	4 P-43 + 9 S-164	133	4 P-44 + 12 S-164	212	4 P-45 + 15 S-164
55	5 P-43 + 12 S-124	134	5 P-44 + 16 S-124	213	5 P-45 + 20 S-124
56	5 P-43 + 9 S-124 + 3 S-134	135	5 P-44 + 12 S-124 + 4 S-134	214	5 P-45 + 15 S-124 + 5 S-134
57	5 P-43 + 6 S-124 + 6 S-134	136	5 P-44 + 8 S-124 + 8 S-134	215	5 P-45 + 10 S-124 + 10 S-134
58	5 P-43 + 3 S-124 + 9 S-134	137	5 P-44 + 4 S-124 + 12 S-134	216	5 P-45 + 5 S-124 + 15 S-134
59	5 P-43 + 12 S-134	138	5 P-44 + 16 S-134	217	5 P-45 + 20 S-134
60	5 P-43 + 9 S-134 + 3 S-144	139	5 P-44 + 12 S-134 + 4 S-144	218	5 P-45 + 15 S-134 + 5 S-144
61	5 P-43 + 6 S-134 + 6 S-144	140	5 P-44 + 8 S-134 + 8 S-144	219	5 P-45 + 10 S-134 + 10 S-144
62	5 P-43 + 3 S-134 + 9 S-144	141	5 P-44 + 4 S-134 + 12 S-144	220	5 P-45 + 5 S-134 + 15 S-144
63	5 P-43 + 12 S-144	142	5 P-44 + 16 S-144	221	5 P-45 + 20 S-144

**Breakdown table of shelving sets: 500 mm linear shelving.**

For your convenience, below is provided a breakdown of shelving sets in components.



**500 mm width linear shelving**

3 Levels		4 Levels		5 Levels	
Set Nº	Shelf elements	Set Nº	Shelf elements	Set Nº	Shelf Elements
247	2 P-53 + 3 S-65	326	2 P-54 + 4 S-65	405	2 P-55 + 5 S-65
248	2 P-53 + 3 S-75	327	2 P-54 + 4 S-75	406	2 P-55 + 5 S-75
249	2 P-53 + 3 S-85	328	2 P-54 + 4 S-85	407	2 P-55 + 5 S-85
250	2 P-53 + 3 S-95	329	2 P-54 + 4 S-95	408	2 P-55 + 5 S-95
251	2 P-53 + 3 S-105	330	2 P-54 + 4 S-105	409	2 P-55 + 5 S-105
252	2 P-53 + 3 S-115	331	2 P-54 + 4 S-115	410	2 P-55 + 5 S-115
253	2 P-53 + 3 S-125	332	2 P-54 + 4 S-125	411	2 P-55 + 5 S-125
254	2 P-53 + 3 S-135	333	2 P-54 + 4 S-135	412	2 P-55 + 5 S-135
255	2 P-53 + 3 S-145	334	2 P-54 + 4 S-145	413	2 P-55 + 5 S-145
256	2 P-53 + 3 S-155	335	2 P-54 + 4 S-155	414	2 P-55 + 5 S-155
257	2 P-53 + 3 S-165	336	2 P-54 + 4 S-165	415	2 P-55 + 5 S-165
258	3 P-53 + 6 S-85	337	3 P-54 + 8 S-85	416	3 P-55 + 10 S-85
259	3 P-53 + 3 S-95 + 3 S-85	338	3 P-54 + 4 S-95 + 4 S-85	417	3 P-55 + 5 S-95 + 5 S-85
260	3 P-53 + 6 S-95	339	3 P-54 + 8 S-95	418	3 P-55 + 10 S-95
261	3 P-53 + 3 S-95 + 3 S-105	340	3 P-54 + 4 S-95 + 4 S-105	419	3 P-55 + 5 S-95 + 5 S-105
262	3 P-53 + 6 S-105	341	3 P-54 + 8 S-105	420	3 P-55 + 10 S-105
263	3 P-53 + 3 S-105 + 3 S-115	342	3 P-54 + 4 S-105 + 4 S-115	421	3 P-55 + 5 S-105 + 5 S-115
264	3 P-53 + 6 S-115	343	3 P-54 + 8 S-115	422	3 P-55 + 10 S-115
265	3 P-53 + 3 S-115 + 3 S-125	344	3 P-54 + 4 S-115 + 4 S-125	423	3 P-55 + 5 S-115 + 5 S-125
266	3 P-53 + 6 S-125	345	3 P-54 + 8 S-125	424	3 P-55 + 10 S-125
267	3 P-53 + 3 S-125 + 3 S-135	346	3 P-54 + 4 S-125 + 4 S-135	425	3 P-55 + 5 S-125 + 5 S-135
268	3 P-53 + 6 S-135	347	3 P-54 + 8 S-135	426	3 P-55 + 10 S-135
269	3 P-53 + 3 S-135 + 3 S-145	348	3 P-54 + 4 S-135 + 4 S-145	427	3 P-55 + 5 S-135 + 5 S-145
270	3 P-53 + 6 S-145	349	3 P-54 + 8 S-145	428	3 P-55 + 10 S-145
271	3 P-53 + 3 S-145 + 3 S-155	350	3 P-54 + 4 S-145 + 4 S-155	429	3 P-55 + 5 S-145 + 5 S-155
272	3 P-53 + 6 S-155	351	3 P-54 + 8 S-155	430	3 P-55 + 10 S-155
273	3 P-53 + 3 S-155 + 3 S-165	352	3 P-54 + 4 S-155 + 4 S-165	431	3 P-55 + 5 S-155 + 5 S-165
274	3 P-53 + 6 S-165	353	3 P-54 + 8 S-165	432	3 P-55 + 10 S-165
275	4 P-53 + 3 S-105 + 6 S-115	354	4 P-54 + 4 S-105 + 8 S-115	433	4 P-55 + 5 S-105 + 10 S-115
276	4 P-53 + 9 S-115	355	4 P-54 + 12 S-115	434	4 P-55 + 15 S-115
277	4 P-53 + 6 S-115 + 3 S-125	356	4 P-54 + 8 S-115 + 4 S-125	435	4 P-55 + 10 S-115 + 5 S-125
278	4 P-53 + 3 S-115 + 6 S-125	357	4 P-54 + 4 S-115 + 8 S-125	436	4 P-55 + 5 S-115 + 10 S-125
279	4 P-53 + 9 S-125	358	4 P-54 + 12 S-125	437	4 P-55 + 15 S-125
280	4 P-53 + 6 S-125 + 3 S-135	359	4 P-54 + 8 S-125 + 4 S-135	438	4 P-55 + 10 S-125 + 5 S-135
281	4 P-53 + 3 S-125 + 6 S-135	360	4 P-54 + 4 S-125 + 8 S-135	439	4 P-55 + 5 S-125 + 10 S-135
282	4 P-53 + 9 S-135	361	4 P-54 + 12 S-135	440	4 P-55 + 15 S-135
283	4 P-53 + 6 S-135 + 3 S-145	362	4 P-54 + 8 S-135 + 4 S-145	441	4 P-55 + 10 S-135 + 5 S-145
284	4 P-53 + 3 S-135 + 6 S-145	363	4 P-54 + 4 S-135 + 8 S-145	442	4 P-55 + 5 S-135 + 10 S-145
285	4 P-53 + 9 S-145	364	4 P-54 + 12 S-145	443	4 P-55 + 15 S-145
286	4 P-53 + 6 S-145 + 3 S-155	365	4 P-54 + 8 S-145 + 4 S-155	444	4 P-55 + 10 S-145 + 5 S-155
287	4 P-53 + 3 S-145 + 6 S-155	366	4 P-54 + 4 S-145 + 8 S-155	445	4 P-55 + 5 S-145 + 10 S-155
288	4 P-53 + 9 S-155	367	4 P-54 + 12 S-155	446	4 P-55 + 15 S-155
289	4 P-53 + 6 S-155 + 3 S-165	368	4 P-54 + 8 S-155 + 4 S-165	447	4 P-55 + 10 S-155 + 5 S-165
290	4 P-53 + 3 S-155 + 6 S-165	369	4 P-54 + 4 S-155 + 8 S-165	448	4 P-55 + 5 S-155 + 10 S-165
291	4 P-53 + 9 S-165	370	4 P-54 + 12 S-165	449	4 P-55 + 15 S-165
292	5 P-53 + 12 S-125	371	5 P-54 + 16 S-125	450	5 P-55 + 20 S-125
293	5 P-53 + 9 S-125 + 3 S-135	372	5 P-54 + 12 S-125 + 4 S-135	451	5 P-55 + 15 S-125 + 5 S-135
294	5 P-53 + 6 S-125 + 6 S-135	373	5 P-54 + 8 S-125 + 8 S-135	452	5 P-55 + 10 S-125 + 10 S-135
295	5 P-53 + 3 S-125 + 9 S-135	374	5 P-54 + 4 S-125 + 12 S-135	453	5 P-55 + 5 S-125 + 15 S-135
296	5 P-53 + 12 S-135	375	5 P-54 + 16 S-135	454	5 P-55 + 20 S-135
297	5 P-53 + 9 S-135 + 3 S-145	376	5 P-54 + 12 S-135 + 4 S-145	455	5 P-55 + 15 S-135 + 5 S-145
298	5 P-53 + 6 S-135 + 6 S-145	377	5 P-54 + 8 S-135 + 8 S-145	456	5 P-55 + 10 S-135 + 10 S-145
299	5 P-53 + 3 S-135 + 9 S-145	378	5 P-54 + 4 S-135 + 12 S-145	457	5 P-55 + 5 S-135 + 15 S-145
300	5 P-53 + 12 S-145	379	5 P-54 + 16 S-145	458	5 P-55 + 20 S-145

**Breakdown table of shelving sets: 400 mm I-shape shelving.**

For your convenience, below is provided a breakdown of shelving sets in components.


**400 mm width I-shape shelving**

3 Levels		4 Levels		5 Levels	
Set N°	Shelf elements	Set N°	Shelf elements	Set N°	Shelf elements
500	1 P-43 + 3 S-64 + 6 GA	579	1 P-44 + 4 S-64 + 8 GA	658	1 P-45 + 5 S-64 + 10 GA
501	1 P-43 + 3 S-74 + 6 GA	580	1 P-44 + 4 S-74 + 8 GA	659	1 P-45 + 5 S-74 + 10 GA
502	1 P-43 + 3 S-84 + 6 GA	581	1 P-44 + 4 S-84 + 8 GA	660	1 P-45 + 5 S-84 + 10 GA
503	1 P-43 + 3 S-94 + 6 GA	582	1 P-44 + 4 S-94 + 8 GA	661	1 P-45 + 5 S-94 + 10 GA
504	1 P-43 + 3 S-104 + 6 GA	583	1 P-44 + 4 S-104 + 8 GA	662	1 P-45 + 5 S-104 + 10 GA
505	1 P-43 + 3 S-114 + 6 GA	584	1 P-44 + 4 S-114 + 8 GA	663	1 P-45 + 5 S-114 + 10 GA
506	1 P-43 + 3 S-124 + 6 GA	585	1 P-44 + 4 S-124 + 8 GA	664	1 P-45 + 5 S-124 + 10 GA
507	1 P-43 + 3 S-134 + 6 GA	586	1 P-44 + 4 S-134 + 8 GA	665	1 P-45 + 5 S-134 + 10 GA
508	1 P-43 + 3 S-144 + 6 GA	587	1 P-44 + 4 S-144 + 8 GA	666	1 P-45 + 5 S-144 + 10 GA
509	1 P-43 + 3 S-154 + 6 GA	588	1 P-44 + 4 S-154 + 8 GA	667	1 P-45 + 5 S-154 + 10 GA
510	1 P-43 + 3 S-164 + 6 GA	589	1 P-44 + 4 S-164 + 8 GA	668	1 P-45 + 5 S-164 + 10 GA
511	2 P-43 + 6 S-84 + 6 GA	590	2 P-44 + 8 S-84 + 8 GA	669	2 P-45 + 10 S-84 + 10 GA
512	2 P-43 + 3 S-94 + 3 S-84 + 6 GA	591	2 P-44 + 4 S-94 + 4 S-84 + 8 GA	670	2 P-45 + 5 S-94 + 5 S-84 + 10 GA
513	2 P-43 + 6 S-94 + 6 GA	592	2 P-44 + 8 S-94 + 8 GA	671	2 P-45 + 10 S-94 + 10 GA
514	2 P-43 + 3 S-94 + 3 S-104 + 6 GA	593	2 P-44 + 4 S-94 + 4 S-104 + 8 GA	672	2 P-45 + 5 S-94 + 5 S-104 + 10 GA
515	2 P-43 + 6 S-104 + 6 GA	594	2 P-44 + 8 S-104 + 8 GA	673	2 P-45 + 10 S-104 + 10 GA
516	2 P-43 + 3 S-104 + 3 S-114 + 6 GA	595	2 P-44 + 4 S-104 + 4 S-114 + 8 GA	674	2 P-45 + 5 S-104 + 5 S-114 + 10 GA
517	2 P-43 + 6 S-114 + 6 GA	596	2 P-44 + 8 S-114 + 8 GA	675	2 P-45 + 10 S-114 + 10 GA
518	2 P-43 + 3 S-114 + 3 S-124 + 6 GA	597	2 P-44 + 4 S-114 + 4 S-124 + 8 GA	676	2 P-45 + 5 S-114 + 5 S-124 + 10 GA
519	2 P-43 + 6 S-124 + 6 GA	598	2 P-44 + 8 S-124 + 8 GA	677	2 P-45 + 10 S-124 + 10 GA
520	2 P-43 + 3 S-124 + 3 S-134 + 6 GA	599	2 P-44 + 4 S-124 + 4 S-134 + 8 GA	678	2 P-45 + 5 S-124 + 5 S-134 + 10 GA
521	2 P-43 + 6 S-134 + 6 GA	600	2 P-44 + 8 S-134 + 8 GA	679	2 P-45 + 10 S-134 + 10 GA
522	2 P-43 + 3 S-134 + 3 S-144 + 6 GA	601	2 P-44 + 4 S-134 + 4 S-144 + 8 GA	680	2 P-45 + 5 S-134 + 5 S-144 + 10 GA
523	2 P-43 + 6 S-144 + 6 GA	602	2 P-44 + 8 S-144 + 8 GA	681	2 P-45 + 10 S-144 + 10 GA
524	2 P-43 + 3 S-144 + 3 S-154 + 6 GA	603	2 P-44 + 4 S-144 + 4 S-154 + 8 GA	682	2 P-45 + 5 S-144 + 5 S-154 + 10 GA
525	2 P-43 + 6 S-154 + 6 GA	604	2 P-44 + 8 S-154 + 8 GA	683	2 P-45 + 10 S-154 + 10 GA
526	2 P-43 + 3 S-154 + 3 S-164 + 6 GA	605	2 P-44 + 4 S-154 + 4 S-164 + 8 GA	684	2 P-45 + 5 S-154 + 5 S-164 + 10 GA
527	2 P-43 + 6 S-164 + 6 GA	606	2 P-44 + 8 S-164 + 8 GA	685	2 P-45 + 10 S-164 + 10 GA
528	3 P-43 + 3 S-104 + 6 S-114 + 6 GA	607	3 P-44 + 4 S-104 + 8 S-114 + 8 GA	686	3 P-45 + 5 S-104 + 10 S-114 + 10 GA
529	3 P-43 + 9 S-114 + 6 GA	608	3 P-44 + 12 S-114 + 8 GA	687	3 P-45 + 15 S-114 + 10 GA
530	3 P-43 + 6 S-114 + 3 S-124 + 6 GA	609	3 P-44 + 8 S-114 + 4 S-124 + 8 GA	688	3 P-45 + 10 S-114 + 5 S-124 + 10 GA
531	3 P-43 + 3 S-114 + 6 S-124 + 6 GA	610	3 P-44 + 4 S-114 + 8 S-124 + 8 GA	689	3 P-45 + 5 S-114 + 10 S-124 + 10 GA
532	3 P-43 + 9 S-124 + 6 GA	611	3 P-44 + 12 S-124 + 8 GA	690	3 P-45 + 15 S-124 + 10 GA
533	3 P-43 + 6 S-124 + 3 S-134 + 6 GA	612	3 P-44 + 8 S-124 + 4 S-134 + 8 GA	691	3 P-45 + 10 S-124 + 5 S-134 + 10 GA
534	3 P-43 + 3 S-124 + 6 S-134 + 6 GA	613	3 P-44 + 4 S-124 + 8 S-134 + 8 GA	692	3 P-45 + 5 S-124 + 10 S-134 + 10 GA
535	3 P-43 + 9 S-134 + 6 GA	614	3 P-44 + 12 S-134 + 8 GA	693	3 P-45 + 15 S-134 + 10 GA
536	3 P-43 + 6 S-134 + 3 S-144 + 6 GA	615	3 P-44 + 8 S-134 + 4 S-144 + 8 GA	694	3 P-45 + 10 S-134 + 5 S-144 + 10 GA
537	3 P-43 + 3 S-134 + 6 S-144 + 6 GA	616	3 P-44 + 4 S-134 + 8 S-144 + 8 GA	695	3 P-45 + 5 S-134 + 10 S-144 + 10 GA
538	3 P-43 + 9 S-144 + 6 GA	617	3 P-44 + 12 S-144 + 8 GA	696	3 P-45 + 15 S-144 + 10 GA
539	3 P-43 + 6 S-144 + 3 S-154 + 6 GA	618	3 P-44 + 8 S-144 + 4 S-154 + 8 GA	697	3 P-45 + 10 S-144 + 5 S-154 + 10 GA
540	3 P-43 + 3 S-144 + 6 S-154 + 6 GA	619	3 P-44 + 4 S-144 + 8 S-154 + 8 GA	698	3 P-45 + 5 S-144 + 10 S-154 + 10 GA
541	3 P-43 + 9 S-154 + 6 GA	620	3 P-44 + 12 S-154 + 8 GA	699	3 P-45 + 15 S-154 + 10 GA
542	3 P-43 + 6 S-154 + 3 S-164 + 6 GA	621	3 P-44 + 8 S-154 + 4 S-164 + 8 GA	700	3 P-45 + 10 S-154 + 5 S-164 + 10 GA
543	3 P-43 + 3 S-154 + 6 S-164 + 6 GA	622	3 P-44 + 4 S-154 + 8 S-164 + 8 GA	701	3 P-45 + 5 S-154 + 10 S-164 + 10 GA
544	3 P-43 + 9 S-164 + 6 GA	623	3 P-44 + 12 S-164 + 8 GA	702	3 P-45 + 15 S-164 + 10 GA
545	4 P-43 + 12 S-124 + 6 GA	624	4 P-44 + 16 S-124 + 8 GA	703	4 P-45 + 20 S-124 + 10 GA
546	4 P-43 + 9 S-124 + 3 S-134 + 6 GA	625	4 P-44 + 12 S-124 + 4 S-134 + 8 GA	704	4 P-45 + 15 S-124 + 5 S-134 + 10 GA
547	4 P-43 + 6 S-124 + 6 S-134 + 6 GA	626	4 P-44 + 8 S-124 + 8 S-134 + 8 GA	705	4 P-45 + 10 S-124 + 10 S-134 + 10 GA
548	4 P-43 + 3 S-124 + 9 S-134 + 6 GA	627	4 P-44 + 4 S-124 + 12 S-134 + 8 GA	706	4 P-45 + 5 S-124 + 15 S-134 + 10 GA
549	4 P-43 + 12 S-134 + 6 GA	628	4 P-44 + 16 S-134 + 8 GA	707	4 P-45 + 20 S-134 + 10 GA
550	4 P-43 + 9 S-134 + 3 S-144 + 6 GA	629	4 P-44 + 12 S-134 + 4 S-144 + 8 GA	708	4 P-45 + 15 S-134 + 5 S-144 + 10 GA
551	4 P-43 + 6 S-134 + 6 S-144 + 6 GA	630	4 P-44 + 8 S-134 + 8 S-144 + 8 GA	709	4 P-45 + 10 S-134 + 10 S-144 + 10 GA
552	4 P-43 + 3 S-134 + 9 S-144 + 6 GA	631	4 P-44 + 4 S-134 + 12 S-144 + 8 GA	710	4 P-45 + 5 S-134 + 15 S-144 + 10 GA
553	4 P-43 + 12 S-144 + 6 GA	632	4 P-44 + 16 S-144 + 8 GA	711	4 P-45 + 20 S-144 + 10 GA

**Breakdown table of shelving sets: 500 mm I-shape shelving.**

For your convenience, below is provided a breakdown of shelving sets in components.



**500 mm width I-shape shelving**

3 Levels		4 Levels		5 Levels	
Set N°	Shelf elements	Set N°	Shelf elements	Set N°	Shelf Elements
737	1 P-53 + 3 S-65 + 6 GA	816	1 P-54 + 4 S-65 + 8 GA	895	1 P-55 + 5 S-65 + 10 GA
738	1 P-53 + 3 S-75 + 6 GA	817	1 P-54 + 4 S-75 + 8 GA	896	1 P-55 + 5 S-75 + 10 GA
739	1 P-53 + 3 S-85 + 6 GA	818	1 P-54 + 4 S-85 + 8 GA	897	1 P-55 + 5 S-85 + 10 GA
740	1 P-53 + 3 S-95 + 6 GA	819	1 P-54 + 4 S-95 + 8 GA	898	1 P-55 + 5 S-95 + 10 GA
741	1 P-53 + 3 S-105 + 6 GA	820	1 P-54 + 4 S-105 + 8 GA	899	1 P-55 + 5 S-105 + 10 GA
742	1 P-53 + 3 S-115 + 6 GA	821	1 P-54 + 4 S-115 + 8 GA	900	1 P-55 + 5 S-115 + 10 GA
743	1 P-53 + 3 S-125 + 6 GA	822	1 P-54 + 4 S-125 + 8 GA	901	1 P-55 + 5 S-125 + 10 GA
744	1 P-53 + 3 S-135 + 6 GA	823	1 P-54 + 4 S-135 + 8 GA	902	1 P-55 + 5 S-135 + 10 GA
745	1 P-53 + 3 S-145 + 6 GA	824	1 P-54 + 4 S-145 + 8 GA	903	1 P-55 + 5 S-145 + 10 GA
746	1 P-53 + 3 S-155 + 6 GA	825	1 P-54 + 4 S-155 + 8 GA	904	1 P-55 + 5 S-155 + 10 GA
747	1 P-53 + 3 S-165 + 6 GA	826	1 P-54 + 4 S-165 + 8 GA	905	1 P-55 + 5 S-165 + 10 GA
748	2 P-53 + 6 S-85 + 6 GA	827	2 P-54 + 8 S-85 + 8 GA	906	2 P-55 + 10 S-85 + 10 GA
749	2 P-53 + 3 S-95 + 3 S-85 + 6 GA	828	2 P-54 + 4 S-95 + 4 S-85 + 8 GA	907	2 P-55 + 5 S-95 + 5 S-85 + 10 GA
750	2 P-53 + 6 S-95 + 6 GA	829	2 P-54 + 8 S-95 + 8 GA	908	2 P-55 + 10 S-95 + 10 GA
751	2 P-53 + 3 S-95 + 3 S-105 + 6 GA	830	2 P-54 + 4 S-95 + 4 S-105 + 8 GA	909	2 P-55 + 5 S-95 + 5 S-105 + 10 GA
752	2 P-53 + 6 S-105 + 6 GA	831	2 P-54 + 8 S-105 + 8 GA	910	2 P-55 + 10 S-105 + 10 GA
753	2 P-53 + 3 S-105 + 3 S-115 + 6 GA	832	2 P-54 + 4 S-105 + 4 S-115 + 8 GA	911	2 P-55 + 5 S-105 + 5 S-115 + 10 GA
754	2 P-53 + 6 S-115 + 6 GA	833	2 P-54 + 8 S-115 + 8 GA	912	2 P-55 + 10 S-115 + 10 GA
755	2 P-53 + 3 S-115 + 3 S-125 + 6 GA	834	2 P-54 + 4 S-115 + 4 S-125 + 8 GA	913	2 P-55 + 5 S-115 + 5 S-125 + 10 GA
756	2 P-53 + 6 S-125 + 6 GA	835	2 P-54 + 8 S-125 + 8 GA	914	2 P-55 + 10 S-125 + 10 GA
757	2 P-53 + 3 S-125 + 3 S-135 + 6 GA	836	2 P-54 + 4 S-125 + 4 S-135 + 8 GA	915	2 P-55 + 5 S-125 + 5 S-135 + 10 GA
758	2 P-53 + 6 S-135 + 6 GA	837	2 P-54 + 8 S-135 + 8 GA	916	2 P-55 + 10 S-135 + 10 GA
759	2 P-53 + 3 S-135 + 3 S-145 + 6 GA	838	2 P-54 + 4 S-135 + 4 S-145 + 8 GA	917	2 P-55 + 5 S-135 + 5 S-145 + 10 GA
760	2 P-53 + 6 S-145 + 6 GA	839	2 P-54 + 8 S-145 + 8 GA	918	2 P-55 + 10 S-145 + 10 GA
761	2 P-53 + 3 S-145 + 3 S-155 + 6 GA	840	2 P-54 + 4 S-145 + 4 S-155 + 8 GA	919	2 P-55 + 5 S-145 + 5 S-155 + 10 GA
762	2 P-53 + 6 S-155 + 6 GA	841	2 P-54 + 8 S-155 + 8 GA	920	2 P-55 + 10 S-155 + 10 GA
763	2 P-53 + 3 S-155 + 3 S-165 + 6 GA	842	2 P-54 + 4 S-155 + 4 S-165 + 8 GA	921	2 P-55 + 5 S-155 + 5 S-165 + 10 GA
764	2 P-53 + 6 S-165 + 6 GA	843	2 P-54 + 8 S-165 + 8 GA	922	2 P-55 + 10 S-165 + 10 GA
765	3 P-53 + 3 S-105 + 6 S-115 + 6 GA	844	3 P-54 + 4 S-105 + 8 S-115 + 8 GA	923	3 P-55 + 5 S-105 + 10 S-115 + 10 GA
766	3 P-53 + 9 S-115 + 6 GA	845	3 P-54 + 12 S-115 + 8 GA	924	3 P-55 + 15 S-115 + 10 GA
767	3 P-53 + 6 S-115 + 3 S-125 + 6 GA	846	3 P-54 + 8 S-115 + 4 S-125 + 8 GA	925	3 P-55 + 10 S-115 + 5 S-125 + 10 GA
768	3 P-53 + 3 S-115 + 6 S-125 + 6 GA	847	3 P-54 + 4 S-115 + 8 S-125 + 8 GA	926	3 P-55 + 5 S-115 + 10 S-125 + 10 GA
769	3 P-53 + 9 S-125 + 6 GA	848	3 P-54 + 12 S-125 + 8 GA	927	3 P-55 + 15 S-125 + 10 GA
770	3 P-53 + 6 S-125 + 3 S-135 + 6 GA	849	3 P-54 + 8 S-125 + 4 S-135 + 8 GA	928	3 P-55 + 10 S-125 + 5 S-135 + 10 GA
771	3 P-53 + 3 S-125 + 6 S-135 + 6 GA	850	3 P-54 + 4 S-125 + 8 S-135 + 8 GA	929	3 P-55 + 5 S-125 + 10 S-135 + 10 GA
772	3 P-53 + 9 S-135 + 6 GA	851	3 P-54 + 12 S-135 + 8 GA	930	3 P-55 + 15 S-135 + 10 GA
773	3 P-53 + 6 S-135 + 3 S-145 + 6 GA	852	3 P-54 + 8 S-135 + 4 S-145 + 8 GA	931	3 P-55 + 10 S-135 + 5 S-145 + 10 GA
774	3 P-53 + 3 S-135 + 6 S-145 + 6 GA	853	3 P-54 + 4 S-135 + 8 S-145 + 8 GA	932	3 P-55 + 5 S-135 + 10 S-145 + 10 GA
775	3 P-53 + 9 S-145 + 6 GA	854	3 P-54 + 12 S-145 + 8 GA	933	3 P-55 + 15 S-145 + 10 GA
776	3 P-53 + 6 S-145 + 3 S-155 + 6 GA	855	3 P-54 + 8 S-145 + 4 S-155 + 8 GA	934	3 P-55 + 10 S-145 + 5 S-155 + 10 GA
777	3 P-53 + 3 S-145 + 6 S-155 + 6 GA	856	3 P-54 + 4 S-145 + 8 S-155 + 8 GA	935	3 P-55 + 5 S-145 + 10 S-155 + 10 GA
778	3 P-53 + 9 S-155 + 6 GA	857	3 P-54 + 12 S-155 + 8 GA	936	3 P-55 + 15 S-155 + 10 GA
779	3 P-53 + 6 S-155 + 3 S-165 + 6 GA	858	3 P-54 + 8 S-155 + 4 S-165 + 8 GA	937	3 P-55 + 10 S-155 + 5 S-165 + 10 GA
780	3 P-53 + 3 S-155 + 6 S-165 + 6 GA	859	3 P-54 + 4 S-155 + 8 S-165 + 8 GA	938	3 P-55 + 5 S-155 + 10 S-165 + 10 GA
781	3 P-53 + 9 S-165 + 6 GA	860	3 P-54 + 12 S-165 + 8 GA	939	3 P-55 + 15 S-165 + 10 GA
782	4 P-53 + 12 S-125 + 6 GA	861	4 P-54 + 16 S-125 + 8 GA	940	4 P-55 + 20 S-125 + 10 GA
783	4 P-53 + 9 S-125 + 3 S-135 + 6 GA	862	4 P-54 + 12 S-125 + 4 S-135 + 8 GA	941	4 P-55 + 15 S-125 + 5 S-135 + 10 GA
784	4 P-53 + 6 S-125 + 6 S-135 + 6 GA	863	4 P-54 + 8 S-125 + 8 S-135 + 8 GA	942	4 P-55 + 10 S-125 + 10 S-135 + 10 GA
785	4 P-53 + 3 S-125 + 9 S-135 + 6 GA	864	4 P-54 + 4 S-125 + 12 S-135 + 8 GA	943	4 P-55 + 5 S-125 + 15 S-135 + 10 GA
786	4 P-53 + 12 S-135 + 6 GA	865	4 P-54 + 16 S-135 + 8 GA	944	4 P-55 + 20 S-135 + 10 GA
787	4 P-53 + 9 S-135 + 3 S-145 + 6 GA	866	4 P-54 + 12 S-135 + 4 S-145 + 8 GA	945	4 P-55 + 15 S-135 + 5 S-145 + 10 GA
788	4 P-53 + 6 S-135 + 6 S-145 + 6 GA	867	4 P-54 + 8 S-135 + 8 S-145 + 8 GA	946	4 P-55 + 10 S-135 + 10 S-145 + 10 GA
789	4 P-53 + 3 S-135 + 9 S-145 + 6 GA	868	4 P-54 + 4 S-135 + 12 S-145 + 8 GA	947	4 P-55 + 5 S-135 + 15 S-145 + 10 GA
790	4 P-53 + 12 S-145 + 6 GA	869	4 P-54 + 16 S-145 + 8 GA	948	4 P-55 + 20 S-145 + 10 GA




**Edenox shelving planner**

- Edenox Shelving Planner is an intuitive software program that will allow you to quickly design shelving solutions for cold rooms or any other storage areas. Through its easy-to-use graphical user interface, just by clicking and dragging, you will be able to create and modify shelving layouts with precise measurements.
- Once you are satisfied with your design specifications, you will get a

detailed quotation with the specific Edenox references needed and their related prices.

- In summary, Edenox Shelving Planner will help you to increase the productivity and efficiency of your design team, improve the quality of your designs, develop better communications through documentation, and create your own shelving project database.


**SOLVE YOUR SHELVING PROJECTS IN 3 STEPS**



Select the shape and length required.  
Build your storage system



Get the list of materials and the total amount of all elements.



Get your whole project in pdf or xls file format.

**Let us help manage your space and maximize your storage potential**

If you are interested in receiving a complimentary software license of our Edenox Shelving Planner, contact your Edenox Professional sales representative or send us an e-mail to edenox@edenox.com

We'd love to hear from you.



Flat shelves.  
Shelf plates and frames are made of high-quality stainless steel.

### Standing, detachable stainless steel shelving

- Made of stainless steel, shiny finishing.
- Shelving frames supplied with plastic feet.
- Plate edges bent inwards, in the shape of a curve, obtaining a sturdy construction that is also easy to clean.



Perforated shelves

### Flat shelves

Model	Reference	External dimensions (mm)
SSF-1060	<b>19020285</b>	1000 x 600 x 1800
SSF-1260	<b>19020286</b>	1200 x 600 x 1800
SSF-1460	<b>19020287</b>	1400 x 600 x 1800
SSF-1660	<b>19020288</b>	1600 x 600 x 1800
SSF-1860	<b>19020289</b>	1800 x 600 x 1800

### Bar shelves

Model	Reference	External dimensions (mm)
SSP-1060	<b>19020290</b>	1000 x 600 x 1800
SSP-1260	<b>19020291</b>	1200 x 600 x 1800
SSP-1460	<b>19020292</b>	1400 x 600 x 1800
SSP-1660	<b>19020293</b>	1600 x 600 x 1800
SSP-1860	<b>19020294</b>	1800 x 600 x 1800



EMM-64

### Wall bracket for microwave ovens and other kitchen appliances

- Especially designed to support microwave ovens and other kitchen appliances.
- Opening on structure to help route cables and pipes.
- Side mounting bevels being part of the wall bracket structure.
- Made of stainless steel.
- Screws and fixing studs supplied as a standard option.

Model	Reference	External dimensions (mm)
EMM-64	<b>19004638</b>	600 x 400 x 400



### Adjustable shelving

- Made of stainless steel, shiny finishing.
- Slotted brackets allow a quick and easy installation of shelves. The height of the shelves can be adjusted according to the user requirements.
- Slotted brackets easily allow adjusting the number of shelf plates, either vertically or horizontally.
- Easy to remove, easy to clean.
- Side mounting bevels supplied as a standard option.
- Screws and fixing studs supplied as a standard option.

### 1 shelf-300 mm



Model	Reference	External dimensions (mm)
WAS-830/1	<b>19020205</b>	800 x 300
WAS-1030/1	<b>19020206</b>	1000 x 300
WAS-1230/1	<b>19020207</b>	1200 x 300
WAS-1430/1	<b>19020208</b>	1400 x 300
WAS-1630/1	<b>19020209</b>	1600 x 300
WAS-1830/1	<b>19020210</b>	1800 x 300
WAS-2030/1	<b>19020211</b>	2000 x 300
WAS-2230/1	<b>19020212</b>	2200 x 300

### 1 shelf-400 mm

Model	Reference	External dimensions (mm)
WAS-840/1	<b>19020213</b>	800 x 400
WAS-1040/1	<b>19020214</b>	1000 x 400
WAS-1240/1	<b>19020215</b>	1200 x 400
WAS-1440/1	<b>19020216</b>	1400 x 400
WAS-1640/1	<b>19020217</b>	1600 x 400
WAS-1840/1	<b>19020218</b>	1800 x 400
WAS-2040/1	<b>19020219</b>	2000 x 400
WAS-2240/1	<b>19020220</b>	2200 x 400

### 2 shelves-300 mm



Model	Reference	External dimensions (mm)
WAS-830/2	<b>19020221</b>	800 x 300
WAS-1030/2	<b>19020222</b>	1000 x 300
WAS-1230/2	<b>19020223</b>	1200 x 300
WAS-1430/2	<b>19020224</b>	1400 x 300
WAS-1630/2	<b>19020225</b>	1600 x 300
WAS-1830/2	<b>19020226</b>	1800 x 300
WAS-2030/2	<b>19020227</b>	2000 x 300
WAS-2230/2	<b>19020228</b>	2200 x 300

### 2 shelves-400 mm

Model	Reference	External dimensions (mm)
WAS-840/2	<b>19020229</b>	800 x 400
WAS-1040/2	<b>19020230</b>	1000 x 400
WAS-1240/2	<b>19020231</b>	1200 x 400
WAS-1440/2	<b>19020232</b>	1400 x 400
WAS-1640/2	<b>19020233</b>	1600 x 400
WAS-1840/2	<b>19020234</b>	1800 x 400
WAS-2040/2	<b>19020235</b>	2000 x 400
WAS-2240/2	<b>19020236</b>	2200 x 400

### 3 shelves-300 mm



Model	Reference	External dimensions (mm)
WAS-830/3	<b>19020237</b>	800 x 300
WAS-1030/3	<b>19020238</b>	1000 x 300
WAS-1230/3	<b>19020239</b>	1200 x 300
WAS-1430/3	<b>19020240</b>	1400 x 300
WAS-1630/3	<b>19020241</b>	1600 x 300
WAS-1830/3	<b>19020242</b>	1800 x 300
WAS-2030/3	<b>19020243</b>	2000 x 300
WAS-2230/3	<b>19020244</b>	2200 x 300

### 3 shelves-400 mm

Model	Reference	External dimensions (mm)
WAS-840/3	<b>19020245</b>	800 x 400
WAS-1040/3	<b>19020246</b>	1000 x 400
WAS-1240/3	<b>19020247</b>	1200 x 400
WAS-1440/3	<b>19020248</b>	1400 x 400
WAS-1640/3	<b>19020249</b>	1600 x 400
WAS-1840/3	<b>19020250</b>	1800 x 400
WAS-2040/3	<b>19020251</b>	2000 x 400
WAS-2240/3	<b>19020252</b>	2200 x 400



### Fixed shelving

- Made of stainless steel, shiny finishing.
- Side mounting bevels being part of the shelving structure.
- Screws and fixing studs supplied as a standard option.
- In the bar models, bars are fully welded to the side mounting bevels.
- Shelving structure with round edges.



### 300 mm

Model	Reference	External dimensions (mm)
WSF-830	<b>19020253</b>	800 x 300
WSF-1030	<b>19020254</b>	1000 x 300
WSF-1230	<b>19020255</b>	1200 x 300
WSF-1430	<b>19020256</b>	1400 x 300
WSF-1630	<b>19020257</b>	1600 x 300
WSF-1830	<b>19020258</b>	1800 x 300
WSF-2030	<b>19020259</b>	2000 x 300
WSF-2230	<b>19020260</b>	2200 x 300



### 400 mm

Model	Reference	External dimensions (mm)
WSF-840	<b>19020261</b>	800 x 400
WSF-1040	<b>19020262</b>	1000 x 400
WSF-1240	<b>19020263</b>	1200 x 400
WSF-1440	<b>19020264</b>	1400 x 400
WSF-1640	<b>19020265</b>	1600 x 400
WSF-1840	<b>19020266</b>	1800 x 400
WSF-2040	<b>19020267</b>	2000 x 400
WSF-2240	<b>19020268</b>	2200 x 400



### 300 mm

Model	Reference	External dimensions (mm)
WST-830	<b>19020269</b>	800 x 300
WST-1030	<b>19020270</b>	1000 x 300
WST-1230	<b>19020271</b>	1200 x 300
WST-1430	<b>19020272</b>	1400 x 300
WST-1630	<b>19020273</b>	1600 x 300
WST-1830	<b>19020274</b>	1800 x 300
WST-2030	<b>19020275</b>	2000 x 300
WST-2230	<b>19020276</b>	2200 x 300



### 400 mm

Model	Reference	External dimensions (mm)
WST-840	<b>19020277</b>	800 x 400
WST-1040	<b>19020278</b>	1000 x 400
WST-1240	<b>19020279</b>	1200 x 400
WST-1440	<b>19020280</b>	1400 x 400
WST-1640	<b>19020281</b>	1600 x 400
WST-184	<b>19020282</b>	1800 x 400
WST-2040	<b>19020283</b>	2000 x 400
WST-2240	<b>19020284</b>	2200 x 400



# edenox

**offices**

C/ Beat Oriol, 1

Edificio Forum - Floor 1ª - Door 14ª

08110 Montcada i Reixac. (Barcelona)

**Tel:** +34 93 565 11 30 - **Fax:** +34 93 575 03 42

[edenox@edenox.com](mailto:edenox@edenox.com)

[www.edenox.com](http://www.edenox.com)